



**UNIVERSAL PLASTER FIX** PRODUCT CODE: PFIX00  
TECHNICAL DATA SHEET  
JULY 2019 REVISION 4

---

## PRODUCT DESCRIPTION

Universal Plaster Fix is a water based bonding aid.

---

## PRODUCT FEATURES AND BENEFITS

The product has been designed specifically to bond sand/cement plaster and gypsum plaster to smooth surfaces

Improves non-structural bond of cement & gypsum plasters

Bonds to sound water-based paint surfaces

Easy to use

---

## PRODUCT INFORMATION

<b>Colour</b>	White
<b>Surface Appearance</b>	White Cement
<b>Resin Base</b>	Acrylic Emulsion
<b>Solids Content</b>	By volume: Approx.24%
<b>VOC Content</b>	Minimal VOC content 0% to 0,29%
<b>Spreading Rate</b>	Theoretical Spreading Rate: 16m <sup>2</sup> /litre @ 15 µm DFT Practical Spreading Rate: 7,3m <sup>2</sup> /litre @ 15 µm DFT
<b>Recommend WFT &amp; DFT</b>	n/a
<b>Pack Sizes</b>	Available in 1ℓ, 5ℓ & 20ℓ.

---

## APPLICATION INFORMATION

<b>Application Conditions</b>	Surface Temperatures at 23°C Relative Humidity 50%
<b>Recoating Time</b>	Allow 24 hours
<b>Application Methods</b>	Brush or Roller
<b>Thinner</b>	Ready to use. Do not thin
<b>Cleaning of equipment</b>	water

---



## **SURFACE PREPARATION**

### **SURFACES CEMENT PLASTER, GYPSUM PLASTER,**

The substrates must be clean, dry and sound and free of any contaminants.

Remove all dust, foreign material, fungal and algae growth, which should be treated with Universal Paints Fungal Wash.

Soffits and vertical surfaces – coat the prepared surfaces with Plaster Fix after dust etc. has been removed and apply a scratch coat while the Plaster Fix is still wet. Allow the scratch coat to dry and then plaster in the usual manner.

Where gypsum-based plaster is used, apply the Plaster Fix to the prepared surface and plaster straight onto the wet Plaster Fix finishing off in a single operation. Plaster Fix can be added to the plaster mix (10% of water content) to obtain a stronger bond.

---

## **PRECAUTIONS**

For detailed safety information please refer to Material Safety Data Sheet

This product does not contain any toxic substances and contains minimal levels of VOC

Only use in well ventilated areas and do not eat, drink or smoke whilst using this product

---

## **DISCLAIMER**

Universal Paints cannot be held liable if the product fails due to improper surface preparation or application

