



UNIVERSAL FUNGAL WASH PRODUCT CODE: FUN00

TECHNICAL DATA SHEET

JUNE 2025 REVISION 5

PRODUCT DESCRIPTION

Universal Fungal Wash is a water based biocidal fungal and bacterial wash.

PRODUCT FEATURES AND BENEFITS

The product is used on dirty and or weathered cementitious substrates or ceiling boards where there is evidence of any fungal spores.

A fungal treatment suitable for use in the harsh urban industrial environment.

Removes any fungal growth in porous substrates, prior to priming and application of any chosen Universal Undercoat or Topcoat.

PRODUCT INFORMATION

Colour	Clear liquid.
Surface Appearance	n/a
Resin Base	n/a
Solids Content	By volume: n/a
VOC Content	Low VOC content 0.5%
Product Information:	A fungicide that targets fungal pathogens, removes algae, and mildew. Suitable for use prior to painting
Spreading Rate	n/a
Recommend WFT & DFT	n/a
Pack Sizes	Available in 1ℓ, 5ℓ & 20ℓ.

APPLICATION INFORMATION

Application Conditions	Surface Temperatures at 23°C Relative Humidity 50%
Recoating Time	Allow 12 hours for Universal Fungal Wash to eliminate fungal growth.
Application Methods	Cloth, mop, or a brush
Thinner	Ready to use. Do not thin.
Cleaning of equipment	Water



SURFACE PREPARATION

NEW SURFACES CEMENT PLASTER, CONCRETE, GYPSUM PLASTER, PRECAST, RHINOLITE, FIBRE CEMENT

The substrates must be clean, dry, and sound and dust free.

Apply **Universal Fungal Wash** generously to areas where fungal and algae growth are apparent and allow to absorb into the substrate. Scrub after 12 hours using copious amounts of water and allow to dry completely.

If there is still any residue of fungal and algae growth visible, reapply to those areas

Once treatment successfully completed and substrate is completely dry, apply the chosen **Universal Primers, Undercoats and Topcoats** as per the respective Technical Data Sheets.

PRECAUTIONS

For detailed safety information please refer to Material Safety Data Sheet

Highly corrosive

- Only use in well-ventilated areas and do not eat, drink, or smoke whilst using this product.
- Non-combustible
- Harmful if swallowed
- Toxic to aquatic life

Protective Equipment

- Face mask, goggles, non-absorbent gloves and protective clothing during application

DISCLAIMER

Universal Paints cannot be held liable if the product fails due to improper surface preparation or application.

